
Genie Annual Inspections Form For Aerial Lifts

*Genie Annual
Inspections Form For
Aerial Lifts*

*Downloaded from
app.ardentx.com by
Richard & Melton*

THE ESSENTIAL GUIDE TO THE GENIE ANNUAL INSPECTIONS FORM FOR AERIAL LIFTS

Every construction site, warehouse, and maintenance facility depends on the reliability of its aerial lifts. These machines elevate workers to heights where a single mechanical failure can lead to catastrophic consequences. Yet, amidst the daily hustle of equipment operation, one critical document often determines the difference between a safe worksite and a potential disaster: the Genie Annual Inspections Form for aerial lifts. This form is far more than a piece of paperwork. It is a comprehensive safety blueprint, a regulatory requirement, and the most reliable way to ensure that your lifting equipment remains safe, compliant, and operational year after year.

Whether you manage a fleet of Genie boom lifts, scissor lifts, or telehandlers, understanding the intricacies of this inspection form is essential. In this guide, we will explore why the annual inspection is non-negotiable, break down the key sections of the Genie form, explain how to complete it correctly, and highlight common pitfalls that could compromise your safety record. By the end, you will understand why the Genie Annual Inspections Form is the cornerstone of any effective aerial lift

maintenance program.

WHY THE ANNUAL INSPECTION MATTERS FOR GENIE AERIAL LIFTS

Genie aerial lifts, like all mobile elevating work platforms, operate under extreme stress. They are subjected to heavy loads, repetitive movements, and exposure to harsh environments. Over time, components wear, hydraulic fluids degrade, and structural fatigue can develop. Pre-shift inspections are vital for catching daily issues, but they lack the depth required to identify long-term wear. The annual inspection is the only scheduled event where every critical component of the machine is methodically evaluated for safety, function, and compliance.

For Genie equipment owners and operators, completing the Genie Annual Inspections Form for aerial lifts is not just best practice; it is a legal obligation. The American National Standards Institute (ANSI) and the Occupational Safety and Health Administration (OSHA) both mandate that aerial lifts undergo a thorough inspection at least once every twelve months. This inspection must be documented on a standardized form that demonstrates due diligence. Failing to perform or document this inspection can result in severe penalties, liability exposure, and most importantly, preventable accidents.

Moreover, the annual inspection serves

as the primary tool for predictive maintenance. By carefully examining each system against the Genie specification sheet, maintenance teams can identify emerging problems before they become costly breakdowns. This proactive approach extends the service life of the equipment, minimizes unexpected downtime, and ensures that every Genie aerial lift in your fleet operates at peak efficiency.

UNDERSTANDING THE GENIE ANNUAL INSPECTIONS FORM FOR AERIAL LIFTS

The Genie Annual Inspections Form is a detailed, multi-section document designed to guide the inspector through a complete examination of the aerial lift. Unlike a daily checklist which focuses on operational fundamentals, this form demands disassembly, measurement, and functional testing of all safety-critical systems. It is typically included with the machine's service manual or can be obtained directly from Genie or authorized distributors.

The form is structured to cover every major component of the machine, from the chassis and tires to the control systems and structural booms. Each section requires the inspector to note the condition of parts, record specific measurements, and confirm function. The completed form serves as a legal record of inspection, signed by the qualified technician, and retained by the owner for the life of the machine. In many jurisdictions, this document must be available for review by regulatory authorities at any time.

It is important to understand that the Genie Annual Inspections Form for aerial lifts is not a one-size-fits-all document. Different models—whether a GS scissor

lift, S boom lift, or G telehandler—have distinct inspection points. Genie provides model-specific adaptations of the form to ensure that all unique components, such as specific boom articulation joints or platform controls, are properly verified. Always use the form that matches the exact model and serial number of your machine.

Who Is Qualified to Complete the Genie Annual Inspections Form?

Given the complexity and safety implications of the annual inspection, not just anyone can complete the form. OSHA and ANSI require that the inspection be performed by a “qualified person” who has been trained and authorized to evaluate the specific type of aerial lift. For Genie equipment, this typically means a technician who has completed Genie factory training or an equivalent certification program. The qualified person must understand the manufacturer's specifications, be able to interpret inspection criteria, and have the tools necessary to perform measurements and tests. The technician must sign and date the form, accepting responsibility for its accuracy.

KEY COMPONENTS COVERED BY THE GENIE ANNUAL INSPECTIONS FORM

The Genie Annual Inspections Form for aerial lifts is exhaustive. While the exact

items vary by model, most forms include the following critical inspection categories:

Structural Integrity and Welds

The inspector examines the entire machine structure for cracks, deformation, corrosion, and damaged welds. This includes the chassis, turntable, boom sections, scissor arms, and platform. Any structural damage can lead to catastrophic failure under load, so even small cracks or signs of stress are noted and evaluated against Genie's repair criteria.

Hydraulic System

The hydraulic system is the lifeblood of any aerial lift. The inspection includes checking hoses for abrasion, leaks, or swelling, examining fittings, verifying fluid levels, and assessing the condition of pumps, valves, and cylinders. The form requires the technician to confirm that the system operates smoothly without unusual noise or hesitation.

Control Systems and Safety Circuits

All control stations—ground, platform, and any remote devices—are tested for proper function. This includes checking

the emergency stop buttons, proportional controls, directional switches, and any interlock systems. The inspection also verifies that the platform load sensing system functions correctly and that all alarms and warning lights are operational.

Brakes, Tires, and Drive Systems

The form includes a thorough check of the machine's ability to move and stop safely. Brake operation, tire condition and pressure, drive motor function, and steering accuracy are all recorded. For rough-terrain models, additional checks on axle oscillation and differential locks are included.

Safety Devices and Decals

Every safety device must be verified. This includes the tilt alarm, motion alarms, fall protection anchor points, and the platform gate or chain. The inspector also checks that all warning decals, load capacity placards, and serial number plates are present and legible. Missing or damaged decals must be replaced before the machine is returned to service.

Electrical and Wiring

The inspection covers the entire electrical system, including batteries,

cables, connectors, and control modules. For battery-powered units, the technician checks electrolyte levels, charge condition, and the function of the charger. Any signs of corrosion, loose connections, or frayed wiring are recorded and addressed.

HOW TO PROPERLY COMPLETE THE GENIE ANNUAL INSPECTIONS FORM

Completing the Genie Annual Inspections Form for aerial lifts is a systematic process that must be followed methodically. Here is a step-by-step approach to ensure accuracy and completeness:

1. **Prepare the machine:** Clean the aerial lift thoroughly. Dirt and grease can hide cracks, leaks, and other defects. Place the machine on a level surface and ensure it is in a safe, powered-down state before beginning.
2. **Gather the correct documents:** Obtain the Genie Annual Inspections Form that matches the specific model and serial number of the lift. Have the service manual on hand for reference measurements and specifications.
3. **Perform a walk-around inspection:** Examine the machine visually before starting any functional tests. Note any obvious damage, missing parts, or fluid leaks. This initial survey helps focus the detailed inspection.
4. **Work through each section sequentially:** Do not skip sections or jump ahead. Follow the form's order to avoid missing key components. For each item, record the condition as "Pass," "Fail," or "Needs Repair." When

measurements are required, such as brake pad thickness or chain stretch, record the actual value.

5. **Conduct functional tests:** After the visual inspection, operate the machine through its full range of motions. Test all controls, safety features, and drive functions. Verify that the platform can reach its maximum height and that all positioning systems work correctly.
6. **Record deficiencies and repair decisions:** If any component fails the inspection, clearly document the nature of the failure on the form. The qualified person must decide whether the machine can be repaired safely or whether it must be removed from service immediately. All repairs must be completed and the machine re-inspected before the form is finalized.
7. **Sign and date the form:** Once the inspection is complete and any necessary repairs have been performed, the qualified person signs and dates the form. The owner or fleet manager should retain a copy in the machine's maintenance history file.

COMMON MISTAKES TO AVOID WHEN USING THE GENIE ANNUAL INSPECTIONS FORM

Even experienced technicians can make errors when completing the Genie Annual Inspections Form for aerial lifts. Being aware of these common mistakes can help you maintain a flawless inspection record:

- **Rushing the inspection:** The annual inspection is not a task to

be completed in ten minutes. Allocate sufficient time to thoroughly examine every component. Rushing leads to missed defects and incomplete documentation.

- **Using a generic form:** Do not use a generic inspection form for Genie lifts. The Genie-specific form includes model-specific criteria that are essential for safety. Using the wrong form can result in failing to inspect critical components unique to your machine.
- **Forgetting to record measurements:** Many sections of the form require specific measurements, such as tire tread depth, brake lining thickness, or hydraulic pressure readings. Record these values clearly. A simple “pass” may not be sufficient for audit purposes.
- **Ignoring cosmetic issues:** A small decal might seem trivial, but regulatory compliance requires that all safety decals be present and readable. Similarly, minor hydraulic seepage can worsen over time. Do not dismiss any item on the form as unimportant.
- **Failing to address failures before returning to service:** If any item is marked “Fail,” the machine must not be operated until the issue is corrected and the correction is documented. Operating a lift with known deficiencies is a violation of safety

standards and could lead to serious accidents.

- **Incomplete record-keeping:**

The completed Genie Annual Inspections Form must be retained for the life of the machine. Do not store it in a location that is subject to damage or loss. Digital backups are recommended for long-term record retention.

THE ROLE OF THE GENIE ANNUAL INSPECTIONS FORM IN REGULATORY COMPLIANCE

OSHA regulations, specifically 29 CFR 1910.178 and 1926.454, require that aerial lifts are inspected on a regular basis. While the daily pre-shift inspection is the operator’s responsibility, the annual inspection must be performed by a qualified person and documented in writing. The Genie Annual Inspections Form for aerial lifts is designed to meet these requirements and exceed them.

In addition to OSHA, ANSI A92 standards have further refined the inspection process. The current standards mandate that the annual inspection includes a review of the manufacturer’s service bulletins and any modifications or repairs performed during the year. The Genie form incorporates these elements, ensuring that your compliance documentation is comprehensive and up-to-date.

When a regulatory inspector visits your site, they may ask to see the inspection records for any aerial lift in operation.